

	AG-350GF
50Hz	280KW/350KVA
50Hz	250KW/312KVA



- G128ZLD11
- 40°C
- 24V
- :
- I P23 H
-
-
-
-
- 12V
-
-



V	Hz		cos	A	KW/KVA	KW/KVA
440/254	50	3	0.8	449	280/350	250/312
415/240	50	3	0.8	476	280/350	250/312
400/230	50	3	0.8	504	280/350	250/312
380/220	50	3	0.8	524	280/350	250/312

GB/T2820-97 eqv I SO8528

1 10%

12





/

G128ZLD11

6

12.88L

x

135x 150 mm

16.2

1500rpm

308KW



100%

220g/KWh

75%

198g/KWh

50%

192g/KWh



34.4L

1.2g/kwh

360



70L

76-88

100

GB755, BS5000, VDE0530, NEMMG1-22, I ED34-1, CSA22 2 AS1359

:	/
	3
	Y
	1
	0.8
	IP23
	1000m
/	H/H
TIF	50
THF	2%
	313KVA
	97.8%
	0.8m³/s

	± 5%
	± 1%
100%	+25%
	-20%
	6S
	1%
	5%
	1.5%
100%	+12%
	-10%
	5S



MCCB





PNG

"

"



ATS




3000 mm × 1172 mm × 1690 mm
2580kg



3050 mm × 1220 mm × 1720 mm
2640kg



3500 mm × 1350 mm × 2150 mm
3100kg



4060 mm × 1880 mm × 2670 mm
3650kg

苏州