

	AG-220GF
50Hz	176KW/220KVA
50Hz	160KW/200KVA



- W0129TD17
- 40°C
- 24V
- :
- I P23 H
-
-
-
-
- 12V
-
-



V	Hz		cos	A	KW/KVA	KW/KVA
440/254	50	3	0.8	282	176/220	160/200
415/240	50	3	0.8	299	176/220	160/200
400/230	50	3	0.8	316	176/220	160/200
380/220	50	3	0.8	329	176/220	160/200

GB/T2820-97 eqv I SO8528

1 10%

12



苏州

GB755, BS5000, VDE0530, NEMMG1-22, I ED34-1, CSA22 2 AS1359


:	/
	3
	Y
	1
	0.8
	IP23
	1000m
/	H/H
TIF	50
THF	2%
	200KVA
	97.8%
	0.8m³/s

	± 5%
	± 1%
100%	+25%
	-20%
	6S
	1%
	5%
	1.5%
100%	+12%
	-10%
	5S

MCCB


PNG

“ ”
ATS



2700 mm × 950 mm × 1850 mm
2500kg

2750 mm × 980 mm × 1880 mm
2600kg



3500 mm × 1350 mm × 2240 mm
3040kg

4160 mm × 1880 mm × 2770 mm
3750kg

苏州